

HIKVISION DVR - 16 Video Channels DS-7216HUI-K2Saa

Recording

- Compresión De Vídeo H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
- Encoding Resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF
- Frame Rate Main stream: ,8 MP@8fps/5 MP@12fps/4 MP@15fps/3 MP@18fps,1080p/720p/WD1/4CIF/VGA/CIF@25fps (P)/30fps (N), Sub-stream: ,WD1/4CIF/CIF@25fps (P)/30fps (N)
- Vídeo Bitrate 32 Kbps to 10 Mbps
- Dual Stream Support
- Stream Type Video, Video & Audio
- Audio Compression G.711u
- Audio Bit Rate 64 Kbps

Video And Audio

- Entrada De Video IP 16-ch (up to 32-ch) Up to 8 MP resolution Support H.265+/H.265/H.264+/H.264 IP cameras
- Analog Video Input 16-ch BNC interface (1.0 Vp-p, 75 Ω), supporting coaxitron connection
- AHD Input 5 MP, 4 MP, 1080p25, 1080p30, 720p25, 720p30
- HDCVI Input 4 MP, 1080p25, 1080p30, 720p25, 720p30
- CVBS Input PAL/NTSC
- Entrada De Audio 4-ch, RCA (2.0 Vp-p, 1 K Ω)
- Salida De Audio 1-ch, RCA (Linear, 1 K Ω)
- Audio Bidireccional 1-ch, RCA (2.0 Vp-p, 1 K Ω) (using the first audio input)
- Reproducción Síncrona 16-ch
- HDTV Input 8 MP, 5 MP, 4 MP, 3 MP, 1080p30, 1080p25, 720p60, 720p50, 720p30, 720p25
- VGA/HDMI Output VGA: 1-ch, 1920 \times 1080/60Hz, 1280 \times 1024/60Hz, 1280 \times 720/60Hz, 1024 \times 768/60Hz HDMI: 1-ch, 4K (3840 \times 2160)/30Hz

